



ELSEVIER

Topology and its Applications 96 (1999) 279–280

**TOPOLOGY  
AND ITS  
APPLICATIONS**

[www.elsevier.com/locate/topol](http://www.elsevier.com/locate/topol)

## Author Index \*

### Volume 96 (1999)

- Aarts, J.M. and F.G.M. Daalderop, Chaotic homeomorphisms on manifolds (1) 93–96
- Bruin, H., Planar embeddings of inverse limit spaces of unimodal maps (3) 191–208
- Buhagiar, D., T. Miwa and B.A. Pasynkov, On metrizable type  $(MT^-)$  maps and spaces (1) 31–51
- Charatonik, W.J., A homogeneous continuum without the property of Kelley (3) 209–216
- Comfort, W.W. and D. Remus, Correction to “Long chains of topological group topologies—A continuation”, Topology and its Applications 75 (1997) 51–79 (Erratum) (3) 277–278
- Daalderop, F.G.M., see Aarts, J.M. (1) 93–96
- Farrell, F.T., Fibered representations, an open condition (2) 185–190
- Fedeli, A. and A. Le Donne, Dense embeddings in pathwise connected spaces (1) 15–22
- Fedeli, A. and A. Le Donne, On locally connected connectifications (1) 85–88
- Finkelstein, E. and Y. Moriah, Tubed incompressible surfaces in knot and link complements (2) 153–170
- Im, S.M. and H.K. Kim, Compact flat manifolds with non-vanishing Stiefel–Whitney classes (3) 267–276
- Járai Jr, A., On the monoid of singular braids (2) 109–119
- Jiang, S., I. Reilly and S. Wang, Some properties of  $S(n)$ - $\theta$ -closed spaces (1) 23–29
- Kalenda, O., Stegall compact spaces which are not fragmentable (2) 121–132
- Kim, H.K., see Im, S.M. (3) 267–276
- Kim, Y., Manifolds with hyperhopfian fundamental group as codimension-2 fibrators (3) 241–248
- Krzemińska, I. and J.R. Prajs, On continua whose hyperspace of subcontinua is  $\sigma$ -locally connected (1) 53–61
- Le Donne, A., see Fedeli, A. (1) 15–22
- Le Donne, A., see Fedeli, A. (1) 85–88
- Mayer, K.H., Nonimmersion theorems for Grassmann manifolds (2) 171–184
- McCarthy, J.D. and A. Papadopoulos, The mapping class group and a theorem of Masur–Wolf (1) 75–84
- McCluskey, A.E., T.B.M. McMaster and W.S. Watson, Representing set-inclusion by embeddability (among the subspaces of the real line) (1) 89–92
- McMaster, T.B.M., see McCluskey, A.E. (1) 89–92
- Michael, E., Partition-complete paracompact  $k$ -spaces are preserved by closed maps (1) 63–73
- Miwa, T., see Buhagiar, D. (1) 31–51
- Moriah, Y., see Finkelstein, E. (2) 153–170
- Myers, R., Contractible open 3-manifolds with free covering translation groups (2) 97–108
- Papadopoulos, A., see McCarthy, J.D. (1) 75–84
- Pasynkov, B.A., see Buhagiar, D. (1) 31–51
- Prajs, J.R., see Krzemińska, I. (1) 53–61

\* The issue number is given in front of the page numbers.

- Reilly, I., see Jiang, S. (1) 23– 29
- Remus, D., see Comfort, W.W. (3) 277–278
- Shibakov, A., Closed maps on spaces with point-countable bases (1) 1– 14
- Shimokawa, K., Hyperbolicity and  $\partial$ -irreducibility of alternating tangles (3) 217–239
- Shimomura, K., The Adams–Novikov  $E_2$ -term for computing  $\pi_*(L_2V(0))$  at the prime 2 (2) 133–152
- Th  ret, D., A complete proof of Viterbo’s uniqueness theorem on generating functions (3) 249–266
- Wang, S., see Jiang, S. (1) 23– 29
- Watson, W.S., see McCluskey, A.E. (1) 89– 92